G R. S. IX.5]

Previous references

File No. 281-11

1917
(Annual)

Serial Nos 1,2,3,4 – 10

Later references

W.C. 71-25

GENERAL AND REVENUE SECRETARIAT.

Serial Nos 1,2,3,4 — 10

Part B for Feb'17

SUBJECT

Water Supply to Jamshedpur town

To the Dy Commr & the Chief Engineer

No 5531-2 27 24.2.17

Directs that the Sanl Engineer be instructed to submit a rough project together with all necessary particulars by discussion with the Sub Committee of necessary with the Dy Commr

PN Feb 17

GRS 11] 1911-1912

GENERAL AND REVENUE SECRETARIAT

(26)

NOTES

File No 281-4

FILE HEADING

Water Supply to Tarikere town
(R. A Subject No 411 of 1911)

From

No Dated Received

Diary No | Enclos | Spare Copies | Serial No

BRIEF ABSTRACT OF LETTER

NOTES AND ORDERS

NOTES—First Sheet

GPB—35,000—15 6 12

G R [redacted] 12]

General and Revenue Secretariat

dl File No. 281 of 191/

Serial No	
2	1 Letter No. 8192 dated the 8/9/2 to the Chief Engineer of alleppey - invites his attention to R A. subject No. 49 about the water supply to Tanjore town and the reply of Govt thereto and enquires when the projects will be ready 2 May a Copy of the Chief Engineer's reply to the R A Subject be forwarded to the Dy. Comr. of the Kadur Distt. for suggesting ways and means for financing the projects Draft submitted Mad 50 11/13 (1)
	3 Draft appd for issue RR 16/1/13
4	4 Letter No. 5300 Dy 22/1/13 to the Dy. Comr., Kadur Dt. forwards Copy of the Chief Engineer's report in the matter & requests him to suggest ways and means in Consultation with the Town Committee for financing the projects
5	5 Letter No. 527 dated the 26th Jan 13 from the Dy. Comr., Kadur Distt

Contd. sheet.

[R. S. 12]

General and Revenue Secretariat.

Mc File No. 281 of 1911

Serial No

Submits, in reply, a Copy of the Yarikere Munic. Council's Resolution agreeing to Contribute a sum of Rs 16500/- towards the project and adds that the drainage question will have also to be considered at an early date and provision made for the maintenance charges.

Subt for orders. The Yarikere water supply project is estimated to cost about Rs 75,000 the Annual Maintenance charges have not yet been calculated. The Yarikere Munic. Comme agree to pay Rs 16500 towards the initial outlay From the last sentence of the Dy Commissioner's letter it seems clear that they will bear the annual recurring charges as well.

The financial condition of the Yarikere Municipality is good for ordinary purposes. The average annual income and expenditure as calculated on the figures for the six years Commencing from 1903-1909 are Rs 11,475 and Rs 9341 respectively and there is a surplus of Rs 31000 at the Credit of the Municipality which can be devoted for any purpose without affecting the prescribed minimum working balance. Thus, the Municipality is well able to pay

NOTE—Cousin check.

GPB—85,000—17-6-13.

[G. R. S. 12]

General and Revenue Secretariat.

Hl File No. 281 of 1911

Serial No.

Rs 16500 towards the initial outlay of the water works. If seems however not to very easy to find funds for the annual maintenance charges, unless they do not exceed Rs 2000 the difference between the ordinary receipts and expenditure. Tarikere, like Chikmagalur, has already introduced almost all kinds of taxes and its resources will have to be explored perhaps more by converting the present sources of income and sanctioning expenditure than by resorting to fresh taxation. The Chief Engineer states that if the question of funds is definitely settled, a detailed project will be prepared and submitted for sanction. In this connection it is submitted that in the case of Chikballapur for promising to bear one half of the cost of a similar project the Municipality furnished the stamp half from its funds and showed evidence of its capacity to bear the recurring charges.

8 The Tarikere Municipality offers to Contribute only Rs 16,500, towards the water-Supply Scheme which is estimated to Cost about Rs 32,000. Even if Govt Contribute one half of the Cost in view of the importance of the town

Rs 50
17.2.13

NOTE—Comin. check.

5

[ ]R. S 12]

General and Revenue Secretariat. | File No. 281 of 1911

Serial No.

from the Commercial point of view, a sum of Rs 21,000 must with known to be found by the Municipality, before the Project can be taken up.

If this sum be advanced by the State at 4%, a sum of Rs 840 will have to be provided for interest and a sum of Rs 800 (approximately) paid into a Sinking fund annually from which, when invested in Govt of Madras Debentures, or Govt of India Promissory note, will, with Compound interest suffice to redeem the loan in 25 years. There an extra amount of Rs 1640 will have to be found, besides maintenance charges which, judging from the expenses of Bimlipatam and Karikal Municipalities, we may estimate at Rs 250 or at the least.

A Scrutiny of the Cuddalore Municipal budget reveals that, even by the entire omission of provisions in Roads (original) Drains & Water-supply (original), only a sum of Rs 2,500 can be saved and made available for the above purpose.

To the above Considerations has to be added another important one, namely that a prospective water-supply should always be accompanied

NOTE—Contin. sheet.

GPB—65,000—17-6-12.

G R S 12]

General and Revenue Secretariat

dl File No. 291 of 1911

Serial No

by a thorough Scheme of Drainage Such a Scheme may Cost a great lot, and the Municipal Council has not got sufficient funds for that purpose It may not be possible for Govt to help them as regards Drainage as well, at a time when applications of this kind are many

Under these Circumstances, the question of husbanding the resources of the Municipality, which are by no means feeble, so as to ensure the up of these projects early, appears to be one calling for immediate

The following suggestions that are gathered at by prescribing its balance, hereby, if approved, be Commended for the Consideration of the Municipal Council

1 The avoidance of any outlays on roads (original), drains (original) water supply (original) and buildings (original) for the next few years, except in the Case of works of an extraordinary urgent nature

As regards the avoidance of drains and water supply, the question

Note—Contn sheet.

GPB—85,000—1-6-12

17

[R S 12]

General and Revenue Secretariat

File No. 281 of 1917

Serial No.

of necessity, as the drainage system may have to be recast after a survey, and as water-supply now provided will be useless, or at least of far less value, within the next few years, when the proposed project is executed. The avoidance of other works is a measure of prudence. This will give an annual addition of Rs 2000 or Rs 2500, to their surplus

2. The investment of that portion of their surplus which exceeds the prescribed minimum Closing balance, is kept in Govt. Debentures at 4%. The surplus is about 31,000 rupees, and the prescribed minimum balance is $\frac{12430}{4}$ or Rs 3107-8-0. Therefore a sum of Rs 27,000 may safely be invested in Debentures, and this will fetch the municipality a sum of Rs 1080 every year. Such a course has been authorised in the case of Shimoga and Bangalore municipalities.

Vide Para 4

From these two methods, the municipality will save Rs 3000/- or more a year, and within 7 years will be able to finance the water supply project, the Govt. Contributing one half

NOTE—Contin. sheet.

GPB—68,000—17-6-12.

135

[R. S 12]

General and Revenue Secretariat

File No. 281 of 1917

Serial No.

the Govt.

It will of course be necessary for the municipality to manage the finances afterwards, as they could levy a water rate and find funds for maintenance of both the water supply and the drainage works.

In order to further facilitate the early starting up of the projects, the Govt. may, if they deem it expedient, allow the municipality to augment its resources by the establishment of toll gates as in the case of Bhatkal, Honnavar, Bavanpur and Shiroor.

Submitted for orders.

Dy Sec[y] 24/7/17.

Pool & Co 23/7

The municipality should be able to bear at least a moiety of the initial cost and the future charges of annual maintenance. The former is known but the latter is not. The latter may be roughly assumed to be the same as the cost entailed in the case of Nanjangud &c.

The Dy Comm[r] should be asked if the municipality can reasonably assure that it is able to bear these charges. The matter may be further considered afterwards. Please put up a draft letter.

Draft 26/7

Note—Contin. sheet.

GPB—65,000—17-6-12.

26/7

(9

G R S 1½]

General and Revenue Secretariat | Jul File No. 281 of 1914

Serial No.	
10	Draft submd. Dr 1150 29.2.13 Dr Secy. "on the lines suggested by the Dy Secy." Dr Secy. 29/7
11	2(a) Communication) Decision of Govt 397 Govt 29/7
12	approved Dr 1/8 Secy 1/8
13	Despatch Govt 2/8.
6	My Letter No. 1707 dated the 7th Augt 1913 to the Dy Comr, Kadur &c. States that the Municipality should be able to bear at least a moiety of the actual outlay of Rs 75000 and the entire charges of annual maintenance which may be roughly assumed to come to Rs 4000 and calls for a report as to whether the Municipality can assure that it is able to bear these items of charges & if so the ways and means they suggest therefor.

Notes—Contn. sheet.

GPB—65,000—17-6-12.

(16

G R S 12]

General and Revenue Secretariat. | 2nd File No. 281 of 1911

Serial No

7 | 15 letters no. 5698 5-6-16 from the Dy Commr, Kadur Distt.

Submits for orders a copy of the resolution of the Davihalli rural council expressing their inability to contribute more than Rs 16,500/- for initial cost and Rs 500 per annum for the incidental charges of the project.

16. The financial condition of the Davihalli Unity is as follows:—

	Rs
Actual opening balance	40,670
Receipts as per current year's Budget	12,790
Total	53,460
Expenditure do	11,676
closing balance	41,784

It will be seen from the above that the financial condition of the Unity is good for ordinary purposes. There will be a surplus of about Rs 3,500/- without affecting the minimum working balance of Rs. out of the surplus the Unity is only able to pay only Rs 16,500/- towards the initial cost of the water supply project and would be required the balance for the drainage project. f

Closing balance	Rs 41,784
Working balance	3,198
Surplus.	38,586

NOTE—Contn. sheet.

G R S 12]

General and Revenue Secretariat. | Ind File No. 251 of 1911

Serial No

of the town which should always accompany a good water supply project and which is said to cost about As 2 per.

18. The Municipality can only pay annually Rs 3000 towards the maintenance charges of the project, which is only one eighth of the entire charges. It suggests a remedial measure for the construction of the bund of the water tank which is expected to bring about an income equal to cost of the tank amounting to Rs 3,700/.

19. Attention is invited to the Chief Secretary's note in para 8 supra discussing fully the ways and means for financing the water supply project.

20. From the Govt Council resolutions passed in the matter so far back as 30th September 1913 there has been Communicated to Govt. since

21. Submitted for orders. Branch A may be consulted in the matter

Ex 18.6.16 11/6/16

22 Br II 19/6/16

L III

H L O No. 2664 of 16

NOTE—Contn. sheet.

GPH—70,000—17-12-15

Sub

23 For water-supply of important towns Govt usually contribute from State Funds amounts not exceeding a moiety of the cost. In the present condition of the State finances it is not possible to say whether Govt will be able to contribute the full moiety. The Municipality should depend more upon its own resources and less on Govt aid. Unless the Municipality is in a position to bear at least a moiety of the capital cost and the whole of the maintenance charges, the water supply project cannot be taken up.

It is neither possible nor expedient for Govt to bear more than half the Capital Cost of the Water Supply in one place as it will make it difficult for [illegible] to

24 It is not desirable to depart from the general rule that Govt will not bear more than a moiety of the Capital Cost of a Water Supply Scheme in Small Places like Tarikere. If the general rule is departed from in one case, it will be difficult to deny similar Concession in other cases and it is obviously impossible for Govt to bear any large share pay a large share for

(1721)—70,000—17-12-15

Serial No

Water Supply Scheme — ante Para

25 The Water Supply Scheme now proposed is apparently too costly for the Place. The Municipality will have to be content with some other Alternative Scheme involving less cost & within its means. ~~of the Municipality~~

by 20/6/16

Por IV

26 Subject for further consideration as per Dy Secy note in para 9 supra

24/6 26/6

27 In the Water Supply project immediately under consideration the Municipality's Closing balance is well able to bear the moiety of Cost (Rs 37,500) & yet retain a large amt over the Min Working balance and as there is sure to increase year after year, funds for the drainage project can easily be found by spreading the Expenditure & allowing the bank balance to accumulate without touching upon it — Some Concession might be shown to the Municipality by waiving the Charge for Establishment, Tools & Plant & this will reduce the Municipality's moiety about Rs 30,000 —

NOTE—Contn sheet

C 113— 0 000—1 1 1

(6)

G R S 12]

General and Revenue Secretariat | File No. 281 of 191/

Serial No

As regards Maintenance Charges it must be pointed out that a Water Tax, since imposed or levy will be limited as authorized by the Rules. Taxation is an important Ruling St 3 The Municipality may perhaps be asked to consider the proposal - If they agree the project may be ordered to be worked out

2y The object of building up balances is to meet special requirements, but the Municipality should be see what they can set aside out of it -

30. If the Municipality does not consent to bear moiety of cost the projects must be abandoned

Rev Secy) 29/6-16

31 The Municipality has a surplus of Rs 28,586/ after leaving in the Budget a working balance of Rs 3198/- Tanjore town has a population of 66518 as per last census 2246 houses The Municipality proposes to levy a water tax amounting to Rs 3900 per annum - As per last by Mr Jan Mr - can afford to pay as much as the

NOTE—Contn sheet

Serial No.

of the cost of Khesra the annual charge of Maintenance (about Rs 4000 a year) and of the increased Revenue Income to Govt. by the money required for drainage work the Municipality may endeavour to build up a reserve. The Public Works Dept. is a rising Town like Darjeeling ought to have Sinking Fund while money can be found for undertaking drainage works also.

32. The Chief Engr will be requested to submit a Plan & Estimate for the Water Supply Project.

1st Member
Member

57
3716

33. Mr C may be asked if they cannot levy a water Tax?

For Sec

34. Draft submitted

For Secy

VOTE—Contin. sheet.

1054 (16

C. R. S. 12]

General and Revenue Secretariat. | A File No. 281 of 1911

Serial No	
8	36 Letter dt 4 Sept 15.9.16 Re Dy Comr Kadur &c Enquires if the Muni Council are prepared to levy a water tax and if so, the amount that may be realized may be intimated.
9.	37 From the Deputy Comr Kadur Dis No 58 dt 21-9-16 Encl Informs that the Municipal Council is agreable to levy a water tax. & states that the amount that may be realised will be intimated. 38 Subj with reference to para 33 page 15 Information as to amount that could be realized by the levy of the tax may be furnished 25 9 16 27/9 30/9-16
	Second Member's ———
	39 Govt may now agree to levy water tax at such rates as Muni Council may prepare & submit & that work may commence 17.18
	Dewan) — may agree as above

10/10/16

10/10/16

Note—Contd. on ...

Pte 71,000 17 12 '17

1034 (17

Water supply to Tarikere town.

G. R. S. 12]

General and Revenue Secretariat. | Ml. File No. 281 of 1911.

Serial No

41 The Sanitary Engineer should be desired to submit a rough project together with proposals for financing the same. He should obtain all necessary particulars by discussion with the Municipal Committee and then with the Deputy Commissioner, if necessary in person.

The rough outlines of a scheme and the method of financing it should first come up to Government for - - general approval before the working out of details is taken in hand. The right course is for the Sanitary - Engineer to take full responsibility to submit such preliminary proposals, including financial, in the first instance. These are awaited

The Secretary, P.W.D., is requested to put up a draft Government Order laying down this procedure for the future.

22/1/17 AC

42 Draft orders as the present case. After issue, the file may be sent to Secy to PW for favour of complying with the Dewan's instructions in the last para.

23/1/17.

23/1-17

43

Draft submitted

C.B. 30/1/17

Rect. Secy.)

2/2-17

NOTE—Contn sheet

OIP.I- 33,073—17 12-1.

G R. S. III-2;

General and Revenue Secretariat. | Ind File No 281 of 1917.

Serial No

101
3-2-17

2nd member)

hq
2.2.17

hq
2/2-17

"

Mr Chandrasekhara has the same story
can be made responsible for
passing irregular bills
such persons. This is the
only official case mentioned
as under Govt enquiry in the
Memorandum to help the case
further than what was
a prospect.

6 Looks like rough outline
of proposed one already on
record. Costing 75 lacs.
Mr has given topes
16,000 & they ask upgrade
for upkeep charges. There
however no reference to
any forthcoming enlarged
Hydel scheme in the
memo - vide. No comp
may be recorded. —

hq
4.2

6666
5.2.17

Subd to Secretary)

hq
5.2.17

hq
5/2-17

Note—Contn. sheet.

1054

WD 1988—GPB—60,000—1-12-16—S.

G. R. S. III-2½ Water supply to Tarikere town

General and Revenue Secretariat. | Rub File No. 281 of 1911.

Serial No

47 I find from the papers that there is only a vague and indefinite scheme prepared for the water supply of this town some years ago. I therefore wanted that the rough outlines of a fresh scheme should be prepared by the Sanitary Engineer to suit present conditions and submitted to Government for <u>administrative sanction</u>. It is very important that before Government sanction the detailed investigation of any scheme, such a general outline should invariably be submitted to them including its financial aspect It is of course not intended that the Sanitary Engineer should be responsible for financing a scheme. What was intended was that as a rough scheme will not be complete without a clear idea that the necessary funds will be forthcoming, the Sanitary Engineer should work up this aspect also in consultation with the Deputy Commissioner and Municipal Council After the scheme is sanctioned, the financial liability will of course be on the Municipal Council This is the practice also in parts of British India.

48 If the Second Member has any further remarks to offer, the matter may be considered at a meeting of Council

19 2 17.

NOTE—Considered at 2nd member) 19 2 17.

Draft approved & Memo signed 19/2 - 17

1584 /20

WD GPB—60 000—1 12-16—S

G R S III 2]

General and Revenue Secretariat	Irl File No 281 of 191/

Serial No	
	Issue 22 2 17 22/2-17
10	To- The Dy Comm'r, Kashmir Chief Engineer Q. No 5534-E dt 24 2'17 Directs that the San't Engineer be instructed to submit a rough project together with all necessary particulars by discussion with the Irl Committee & if necessary wot the Dy Comm'r in person.

NOTE—Contn. sheet

5763

(4

was
8/4



SUBJECT No 411

Water-supply to Tarikere town

Messrs. Syed Hussain Saheb, Mahomed Imam Sab and Sanlappa, Tarikere taluk; and Mr Mahomed Sab, Tarikere Municipality

Summary of discussion.—The representation contained in Subject No. 399 of the Representative Assembly Proceedings of 1910, regarding the water-supply to Tarikere town is once more urged upon the kind notice of Government, as, according to the reply then given, nothing seems to have as yet been done.

Reply of Government.—The project is being prepared by the Chief Engineer

Draft letter to Chief Engineer is submitted.

27/4/12

Issue
2-5-12

22

GRS 26]

223/11

File No 281-
Serial No

Diary No of letter replied to 5743

No 8192
and 281-11-
dy 6 5 12

General and Revenue Secretariat
(Mb.)
Dl, *the* 27 4 1912

To
The Chief Engineer of Mysore.

Date of issue

Signed by MKMR

Sir

I am directed to ~~forward herewith~~ invite your attention to subject no 44 brought forward at the R. Assembly of 1911 about the water supply to Tarikere town and the reply of Govt. thereto, and to request that you will be so good as to state when the project will

over &c

SUBJECT



List of enclosures,

Copied by Cll 4/5 7m

Examined by M/4/5

GPO-[illegible]

No 10331

MYSORE P W DEPARTMENT,
CENTRAL OFFICE.
Bangalore, 21st December *191* 2.

3618

From

M. V. Krishna Rao, Esq., M.Inst.C.E.,
The *Chief Engineer of Mysore,*
Bangalore.

To

K.R.Srinivasiengar, Esq , M.A.,
Offg Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments.

Sir,

With reference to your reminder No.4224 dated the 10th December 1912, regarding the water supply project to the Tarikere town, I have the honour to invite attention to this office No. 1126/7220 dated the 2nd September 1912 in which a reply was sent to your letter No.8192/M1 281-11-2 dated the 6th May 1912 on the subject.

2. Copy of this office No 1126/7220 dated the 2nd September 1912 (referred to above) together with an extract from the consolidated statement therein referred to, which relates to the Tarikere town water supply (Dasara subject No 411 of 1911), is herewith forwarded for ready reference.

I have the honour to be,
Sir,
Your most obedient servant,

M. V. Krishna Rao

For Chief Engineer of Mysore.

B.V.

3618

1912-8

MYSORE P W DEPARTMENT

No 10131

From

THE CHIEF ENGINEER OF MYSORE,
Bangalore.

To the offg: Secretary to the Government of Mysore, Genl & Rev Department

Dated Bangalore, 21st December 1912

Despatched 23rd [illegible]

Enclosure No. 2.

SUBJECT

Re, Tank water supply to the Tarapet town.

Enc to 2nd 251-11 '24
863

Letter No.1126/7280 dated the 2nd September 1912 from the Chief Engineer and Secretary to Government, P.W.Department, to the Secretary to Government, General and Revenue Departments, Bangalore

****

With reference to your memo No.G.5251 dated the 3rd April 1912, I have the honour to forward the accompanying consolidated statement shewing the action taken on the subjects brought forward at the Representative Assembly of 1911.

2. Now that a consolidated statement of all the subjects referred to the Public Works Department is sent, it is presumed separate replies to individual references concerning these subjects are unnecessary, except in cases for which special reports are promised in the statement.

&&&&&&&&&&&&&&&&&&

P.T.O.

Subject No. 411.

Water supply to Tarikere Twn.

The Ramanaikankere tank is intended to be the storage reservoir for the water supply of the town of Tarikere For its improvement, a sum of Rs 29,000 has been provided in the project for opening out a feeder from the Nagannana anikat to the tanks in the Tarikere - valley. This project has recently been ordered to be carried out, excluding the improvement to the Ramanaikankere which has to be taken up separately.

The total cost of the water supply project including the improvement of the Ramanaikankere is roughly estimated at Rs 75,000. Towards this, the Tarikere Municipality promised to contribute Rs 16,500 as intimated by the Deputy Commissioner in 1905 If the question of funds is definitely settled in the - - Municipal Department, a detailed project will be prepared and submitted for the sanction of Government.

"True Copies"

Assistant Secretary,

P W. Department.

[S.R.S. 26]

*

Vol VI 3

126

File No. 281-11

Serial No. 4

Diary No of letter replied to 3618

Secl
179
11

Secl
5300
No. mil 281-11
9/22/13

General and Revenue Secretariat

(Mb)

Dated, the 11 1 1913

22 11 13

Signed by Mr Ilyd

To

The Dy Com. Kadur Distt.

Sir,

Referring to Subject No 411 brought forward at the R. Assembly of 1911 regarding the water Supply project to the Tarikere town, I am directed to forward herewith a copy of the Chief Engineer's thereon and to request that you will be so good as to suggest ways and means in Consultation with the Munc.

(1e)

SUBJECT

1/1
Typed 20/1 K.V.

Council for furnishing the
project

I have to

List of enclosures,

Copied by

Examined by

GPO—10,000—29-8-11.

(27

Office of the Deputy Commissioner

D135 Chickmagalur, Dated 26th June 13

m 281-11
815

From,

K. Krishna Iyer Esquire

Deputy Commissioner

Kadur District

To,

K R Sreenivasa Iyengar Esquire, M A

Secretary to Government, General and

Revenue Departments, in Mysore, Bangalore

Sir,

With reference to your letter No 5300/m 1 281-11-4 dated 22-1-1913 forwarding a copy of the Chief Engineer's report regarding water supply project to the Tarikere Town and requesting me to suggest ways and means in consultation with the Municipal Council for financing the project, I have the honor to state that the subject was placed before the Municipal Council of Tarikere at their meeting held on 20-3-1913 & the Council expressed it as their opinion that Rs 16,500/- may be contributed from the Funds of the Tarikere Municipality towards the project

The Sub Divisional Assistant Commissioner who is the President of the Tarikere Municipal Council concurs in the opinion of the Council

copy of the resolution of the Municipal Council is herein enclosed

191

From

The Deputy Commissioner
Kadur District

To

The Secretary to Government
General and Revenue Departments
in Mysore - Bangalore -

Dated 26th } June 1918
Despatched }
Received

General No. 527
No.

Enclosure No One

Stating that Rs 16,500/- may be contributed from Municipal funds towards the Water-supply project to the Tarikere Town, as expressed by the Council at the meeting held on 20/3/1918

GPB—50,000—26-6-18

(28

enclosed for reference.

I agree in the opinion expressed by the Municipal Council of Tarikere

The drainage question will also have to be considered at an early date seperately and provision made for maintenance charges.

I have the honor to be,

Sir,

Your most obedient Servant,

Offg Deputy Commissioner

Kadur District

C M K

ఉదయం 29-11/15

యూ దొ క్లు రంగారెడ్డి జిల్లా బోయిన్‌పల్లి లో ఓపెన్ ఉన్నత పాఠశాల

టుంకోడ్ నం 03 ఇంగ్లీషు కొశ్చన్ పేపర్ - కొశ్చన్ 20 3 1913 -

(ట్రేస్ తీంచిరవలు - బీ॥ యుం కృష్ణా జిల్లా అయ్యంగార్ బి ఎ
నభ డివిజనల్ అధికారవలు స్కెచ్ డ్రాయింగ్
స్కెచ్ (ట్రేస్ తీంచిరవలు - పి నుబ్బరాంబో బి ఎ ఆఫీసు అసిస్టెంట్
రోబుక్ స్కెచ్ (ట్రేస్ తీంచిరవలు (డ్రాయింగ్) టైపిస్టులు

అప్లికేషన్ లోపెంబరు -

డ్రాయింగ్ లు -

(1) బీ॥ ఆర్ పి ఐ నభ డివిజనల్ అధికారవలు
(2) బీ॥ రంగారెడ్డి జిల్లా ఆనబ్రేకభ్ అసిస్టెంటవలు
(3) రంగారెడ్డి కోర్టుల్లో నభ ఫిట్టర్లు

నోన్ అప్లికేషన్ లోపెంబరు

డ్రాయింగ్ లు -

4. బీ॥ ఎస్ రాయుడు బి
5 బీ॥ భుంభూ సాహిబరవలు
6 బిలో లేపెడ పెదనాడిబరవలు
7 ఫిట్టర్ లో శిక్షణ పొందినవలు
8 పెంసిం పెన్సిల్ నాడిబరవలు
9 రోడ్ రోలర్ లు కాం॥ బేంకు పని నవలు

స్కెచ్ డ్రాయింగ్ లు -

10. బీ॥ ఆదినారాయణ ఫిట్టర్లు
11 బీ॥ రెడ్డి శంకర్ రావు
నాంపల్లి వలు
12 బీ॥ బేంకు ఉద్యోగులు
13 బీ॥ ఎల్లప్ప నవలు -

× × × ×

× × × ×

VI కాగడా నాంపల్లి రంగారెడ్డి రోడ్ లారీ బస్టాండ్ రంగారెడ్డి జిల్లా
నోటిసు నిచ్చి లాభ్ అయింది 16 పంగుం బోయిడలు

రింతక్కువ ఖరీదుల్లో మేంబర్ల అభిప్రాయ పేర్కొని
కోరినందుకు వందన వేవ300 అనుసరించి కొన్ని లాకోర్కో,
సాధారణ నం 2262 నీ ఆర్డర్ పుస్తకంలో కొన్ని లాకో
పోతిచినందుకు కొ/సాధారణ నం 2262 నీ ఆర్డర్ పుస్తకంలో
చేయబడినవి.

Resolution — మేంబరు చెప్పుకొనిన ప్రకారం అందరు మెంబర్లు
చెప్పిన 16,500 రూపాయిలు యూనిఫారానికి చెప్పుకొని ప్రకారం
చేయబడ్డది. అందరి నుండి కొంతకాలము యూనిఫారాలు వేసుకోవలసి
వచ్చినందున అన్ని వస్త్రాలకు ఒకే వస్త్రానికి ఇవ్వడం
కొంతకాలం తరువాత ఇవ్వబడ్డది అందరు మెంబర్లు
తీసుకొనిరి.

యూ బల్ -
ఆ డి యు శుభ్రపరిచినందుకు ప్రీడ్ సారథ్యాన్ని చేయుట
శుభ్రంచేయడం చదరపు చేయుట
ఆనవాళ్లిక భోజన కారణంచేత నిద్ర
బూట్ పాడైపోవడం అయినయిది
అయిపోవడం పాడైపోవడం అయినయిది
అయిపోవడం పోయిందే అయినయి
శివప్ప - శ చదివి అయిపోవడం అయినయి
మూసివేసినందుకు పాడుచేయడం అయినయిది
బోర్డు దొంగతనమైనట్లు ఎంక్వైరీ అయినయింది

(సంతకం) పి శేషు బ్రహ్మం
ప్రిన్సిపాల్ తరపున

"Copy"

Principal
Municipal Board
Kadiri Division

Wariyapola Water supply (30)

G R S 26]

File No 281-

Serial No 6"

Sup 51/13

Diary No of letter replied to 135

No 1701

mb 281-11-

97 & 13

General and Revenue Secretariat

(MG.)

Kandy, the 29 7 1913

To

The Dy: Commissioner

Kalutara Bridge

Date of issue 7 of 13

Signed by mr a VR

Sir,

With reference to your letter No 527 dated the 26th June 1913 in the matter of financing the water supply project of the Wariyapola town, I am directed to state that the Municipality should be able to borrow at least a moiety of the initial outlay (Rs 75000/-) & the entire charges

over

SUBJECT

of annual maintenance which may be roughly assumed to come to about Rs 1,00,000/-, and to request that you will be so good as to request the Accountant-Gen. can reasonably assure that it is able to bear these charges, and if so, the ways and means they suggest therefor.

I have &c

Am 29.7.

Last of enclosures

Copied by

Examined by

GPB—20,000—8-8-11

D 4375

281-11-

Office of the Deputy Commissioner,
Kadur District
Dated Chikmagalur, 5th June 1916.

K. Krishna Iyer, Esquire,
Deputy Commissioner,
Kadur District.

V.R. Thyagaraja Iyer, Esquire, M.A.,
Secretary to the Government of Mysore,
Revenue Department,
Bangalore.

With reference to your letter No 1701/M1 281- dated 7th August 1913 and subsequent reminders thereto that the Municipality of Tarikere should be able to at least a moiety of the initial outlay of Rs 75,000/- the entire charges of the annual maintenance towards the supply project of the Tarikere Town and calling for a as to whether the Municipality can reasonably assure it is able to bear these items of charges &c., I have the to state that the matter was carefully considered at the of the Tarikere Municipal Council held on 30th September Copy of their resolution purporting to state that the pality is unable to make a contribution of more than Rs - and a recurring maintenance charges of Rs 500/- per towards the water supply project is herein enclosed for

P.T.O.

GPD—Form—W-018

1915. 16.

From The Deputy Commissioner,
Kadur District

To The Secretary to the Government of His Highness the Maharaja of Mysore, Revenue Department, Bangalore.

Dated 5
Despatched 6 } June 1916
Received

General No. 569
No.

Enclosure No. 7

Submitting a report on the question of financing the water supply project of the Tarikere Town: ——

2. The closing balance at the credit of the Tarikere -- Municipality at the end of June 1915 was about Rs.40,785. The annual receipts and expenditure of the Municipality amount to Rs. 12,780 and 11,676 respectively(Vide sanctioned Budget for 1915-16).

3. If out of the closing balance, a sum of Rs.16,500 be contributed towards the project, the balance that may remain will have to be set apart for meeting the cost of the drainage project which is of no less importance from a sanitary point of view and which is said to cost about Rs. 20,000/- Moreover, under section 54 of the Municipal Regulation, it is an obligatory function of the Municipal Council to make reasonable provision for the -- construction of proper drains within the Municipality. Considering the fact that the financial equilibrium of the Municipality is not of a sufficiently strong basis and that the Municipality has in spite of its limited resources, made a liberal contribution of Rs.16,500 towards the project, besides a portion of the recurring charges, I beg to submit that the Government may be graciously pleased to sanction the remaining amount of the project from State Funds and thus secure to the town a permanent supply of drinking water which was being urged for the last so many years.

4. As regards the payment of the annual maintenance charges,

(37)

I think under ordinary circumstances it would only be fair to expect the Municipality to bear the said charges. But in the present state of the Tarikere Municipal finances, the Municipality cannot be reasonably expected to bear the entire charges The only remedy for this would be the introduction of water-tax, but this would mean an imposition of another tax which would very nearly amount to as much as the house-tax itself If Government consider that such levy of an additional tax is not unobjectionable, the opinion of the Municipal Council will be taken and ~~—~~ recommendations made

5 Copy of the Sub Divisional Assistant Commissioner's letter No. 205 dated 14/21st January 1915 received on the subject is herewith submitted for reference

I have the honour to be,

Sir,

Your most obedient servant,

Deputy Commissioner,

Kadur District

Dire to Land 28/11/15 (34

Copy of letter No. 205 dated 21st January 1915 from the Sub Divisional Assistant Commissioner, Kadur District.—

With reference to your No. 390 dated 13th August 1914 regarding the water Supply to the Jaikere Town, I have the honor to state that the inhabitants of this town have been urging this question for the consideration of Government from two stand-points. The one is, to enlarge the capacity of the Chikkere to the East of the town, and the other, a more desirable and comprehensive scheme, to improve the Ramanayakanakere and thence Supply water to the town by means of pipes

2 I may, at the outset, be permitted to point out that the proposal to enlarge the Chikkere tank is hardly deserving of any serious consideration, because

the Chickens is not a convinient source of water supply to the town for one thing, nor is it likely to be an un-contaminated, permanent and unfail-ing source of supply to the whole town. Any improvement effected to the tank would only afford temporary relief and that to a portion of the towns people, as it is situated at one extreme end of the town. I would however suggest that to make it less harmful than it usually is, a Sluice may be provided at a convinient point of the tank in order to draw off the water whenever necessary to enable the bottom being cleaned and the reservoir being otherwise cleaned. This will cost but a small sum comparatively,

and that portion of the townspeople who use the tank water solely are likely to benefit by it to a great extent. This I submit, can only be regarded as a temporary and makeshift arrangement until such time as the municipality or the Government can finance a Project for a pure and unfailing supply of water to the whole town.

A project has been before Government to enlarge the Ramanayakanakere and thence supply water to the town by means of pipes and they have in their No. 1701/mil 251-11-6 dated 7 8 1913, stated that municipality should be able to bear at least a moiety of the actual outlay amounting to

Rs 75000/- and the extra annual maintenance charges estimated at Rs 4000/- and called for a report. The subject was accordingly considered at the meeting of the Jaunkur Municipal Council held on 31st September 1913, and it was resolved that out of the opening balance of Rs 31500/-, a sum of Rs 16500/- be made available for meeting a portion of the initial outlay as desired by Government, and that the municipality was unable to bear more than Rs 500/- towards the recurring annual maintenance charges

The annual receipts and expenditure of the municipality amount to Rs 12400/- and 11600/- respectively and out of

the closing balance of Rs 31,500/- a large sum has to be set aparte for improving the drainage of the town. There are besides, many other smaller details which requires to be urgently attended to and financed, initially.

I, therefore, concur generally with the views expressed by the municipal council, but would add that the municipal council may be induced to reconsider the question of annual maintenance charges so that the yearly contribution may at least be increased to Rs 1500/ The question therefore is one of financing the balance of the annual maintenance charges and until the financial condition of the municipality improves, it cannot

be reasonably expected to make a larger contribution than this amount after meeting all the recurring charges, until which time, Government may be kindly moved to make up the deficit and thus secure a permanent supply of water to the town.

———•———

"Copy"

Deputy Commissioner
Kadur District

Ref to Mul 281-1 [illegible]

[illegible] 30 7 13

1 [illegible]

2 [illegible]

[illegible]

3 [illegible]

4 [illegible]

5 [illegible]

[illegible]

6 [illegible]

7 [illegible]

8 [illegible]

9 [illegible]

10 [illegible]

11 [illegible]

12 [illegible]

13 [illegible]

14 [illegible]

15 [illegible]

X X X X

[illegible]

[illegible] 1701 Mul 287-11 6

[illegible] 75000

[illegible] 37500

[illegible]

Sd/- M. Krishnamoorthy
President

Copy.

Deputy Commissioner
Kadur

5 11/16.

Tarikere water supply project (38)

G. R. S. 26]

File No. 281-11.

Serial No. 8

Diary No of letter replied to 4375

General and Revenue Secretariat

( )

, the *191*

Date of issue 15.7.16.

Signed by M.B. Subba Rao

No 4854

Mil 281-11-8

Bg 15.7.16

To The Dy Comr

Kadur DT

Sir,

With reference to your letter No 569 Dt. 8th June 16, regarding the water supply project of Tarikere Town, I am directed to enquire if the Municipal Council are prepared to levy a water tax. If so, the amount that may be realised may be intimated.

I have &c

over

SUBJECT

For Secy to Govt

Rev Departt

Dft

6/7/16

Rein 14

List of enclosures

Copied by

Examined by

GPE—25 000—4 8-18

Office of the Deputy Commissioner,

Kadur District,

D1

28-11-9

Dated- Chikmagalur 21st September, 1916.

B.Ramaswamaiya Esquire, B.A B L ,

Offg Deputy Commissioner,

Kadur District.

L.Krishna Rao Esquire,

Offg Secretary to the Government of His

Highness the Maharaja of Mysore,

Revenue Department, Bangalore

r,

With reference to your letter No 484 X
ml281-11-8
dated15th July 1916 regarding the Water Supply Project of Tarekere Town, I have the honor to state that the matter was placed before the Municipal Council at their meeting convened on 20 8 1916 and they are agreeable to the levy of water tax Copy of their resolution is herewith submitted for information.

2 With regard to the amount that may realized by the levy of water tax, I have to add that a sub committee consisting of 5 members has been formed to prepare a list, which will be placed before the Muni-

-cipal

GPS—m,mm—8-8-15

19 16-1917

From The Deputy Commissioner,

22 SEP 1916

Kadur District.

To

The Secretary to Government,

Revenue Department,

Dated 21-9-16

Despatched B A N G A L O R E.

Received

General No. 5-3

No.

Enclosure No.

Submitting the copy of the reso-
-lution of the Municipal Council re-
-garding the Water Supply Project of
Tarekere Town.

(40

Municipal Council at their next meeting and copy of their resolution submitted on receipt

I have the honor to be,

Sir,

Your most obedient servant,

Deputy Commissioner,

Kadur District

Y.S.M

తే 20-10-1916 వ తేదీన జరిగిన కౌన్సిల్ మీటింగ్ లో తీర్మానించిన ప్రకారం మీకు తెలియజేయడమైనది.

సెక్రటరీ - ఆఫ్ ది కౌన్సిల్.

× × × × × × ×

VII తేదీ కోలేపు వద్ద నుండి Water Supply Project విషయమై వ్రాసిన లేఖ నెం. 47 తేదీ 18-7-1916 చదువబడినది. ఈ విషయమై ఇంజనీర్ గారి అభిప్రాయం కోరుతూ వ్రాసిన లేఖ నెం. 1 తేదీ 6-8-16 చదువబడినది.

తీర్మానం:- ఈ పథకానికి నీరు కలవల్లేరు నుండి తీసుకోవడం కాలువ నుండి నీరు తీసుకోవడం కంటే ఖర్చు తక్కువగా ఉంటుంది కనుక మీటింగులో హాజరైన మెంబర్లు అందరూ కలవల్లేరు నుండి నీరు తీసుకోవడానికి ఏకగ్రీవంగా ఒప్పుకొన్నారు. ఈ పథకానికి కావలసిన ఖర్చు అంచనా వేయడానికి ఇంజనీరు గారిని కోరడమైనది. ఈ పథకానికి అయ్యే ఖర్చులో కొంత మొత్తం మున్సిపాలిటీ వారు భరించడానికి ఒప్పుకొనే విషయమై మున్సిపాలిటీ వారితో మాట్లాడడానికి తీర్మానించడమైనది.

Official members
1 Sub Registrar, chairman.
2 D.P.W. Sub Divisional officer.

Non official members.
1 Sri Baba Sab.
2 " Narasimhamma
3 " Shivaiah.

"Copy"

(Sd/-) Sankaran Nayanayan,
Vice-President

Rajamundry
14th December 1916

My Commissioner,
Kadiri Municipality.

Water supply to Davangere town

G.R.S 28]

Rev File No 281-11

Serial No

Diary No. of letter replied to 1059

Proceedings of the Government of His Highness the Maharaja of Mysore

GENERAL AND REVENUE SECRETARIAT

(Rev)

, *the* 191

READ—

Subject No 411 of the Rest Proceedings of 1941 dispensing early action being taken in connection with the project for water supply to Davangere town

2 Correspondence ending with letter No 53 dt the 21st Sept 1916 from the

over

Date of issue 26 2 17

Signed by M.A. Sesha Rau

ORDER THEREON—No.

May this be

i printed?

ii treated as a standing order?

iii published in the Gazette English part?

iv translated?

v placed at the disposal of the Press?

vi published in the Gazette Kannada part?

SUBJECT.

GPB—50,000—1-12-12

offg. Dy. Comm., Kendu District, reporting that the Municipal Council of Karikare are agreeable to the levy of a water tax and that a Sub Committee has been formed to ascertain & report the probable realizations from the levy of the proposed tax

Order No 5531-2 ml 281-11—10 9.12.17

Government directs that the Sanitary Engineer be instructed to submit a rough project for the work in question, together with ~~proposals for framing the same~~ all necessary particulars ~~being obtained~~ by discussion with the Municipal Committee and with

(43

G. R. S 27]

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form.)

the Deputy Commissioner if necessary in person.

2. The rough outlines of the Scheme and the method of financing it should first come up to Government for General approval before the working out of details is taken in hand. The Scheme as approved by Government will then be worked out by Engr. Executive and the full responsibility for the proper working of Bridges for which they will be provided will rest on Engr. Executive as Exec Engr

To The Dy Commr, Kanara District

The Chief Engineer Bombay

CB
31/10/07